

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.taiver.nt-rt.ru | | tew@nt-rt.ru

Технические характеристики на строительные, электрические безвоздушные мембранные окрасочные аппараты, винтовые окрасочные аппараты с однофазным электродвигателем BLACK, MTV компании **TAIVER**

Виды товаров: электрические безвоздушные мембранные насосы, винтовые насосы с однофазным электродвигателем, винтовые насосы для нанесения термоизоляционного клея, винтовые насосы для штукатурных работ и др.



BLACK S

SKU: 4200

Categories: [Building Pumps](#), [Electric airless diaphragm pumps](#)

Dati Tecnici:

Power: 1 hp (0.75 kW)

Flow rate with MAX nozzle: 2.5 l/m

MAX pressure: 220 bar

MAX pipe elevation: 30 m

Voltage: 230V/50Hz

MAX flow rate: 4.5 l/m

MAX nozzle size: 0.021

MAX hose length: 30 m

Weight: 28 kg

|

DESCRIZIONE DEL PRODOTTO

FEATURES

BLACK S is an airless electric diaphragm pump designed for the small industries and craftsmen. It is the ideal solution for small-medium works in building, for spraying lacquers, paints, for furnitures polishing, in carpentry and handicraft. The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits. The head block are in aluminium with hard nickel treatment, the valves in tungsten carbide.

The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits.

STANDARD SET UP



6 liters plastic hopper kit (ref. **003850**)



pressure gauge kit (ref. **066000**)



high pressure hose ø 6 mm, length 10 m. (ref. **060020**)



airless gun W650TOP (ref. **077400**)



self cleaning tip c/w seal and guard (ref. **69AXXX**)

APPLICATIONS

Acrylic, anti-rust, emulsions, primers, paints, varnishes, enamels, etc..

APPLICATIONS' FIELD

Indoor and Outdoor Spraying • Renovations • Construction • Industrial • Painting roofs etc..

BLACK SERIES

The new BLACK series pumps are airless, medium and large capacity equipment, designed and improved for spraying all products used in the construction industry, mechanical engineering, carpentry, etc. falegnameria, carpenteria, etc. They are very strong and easy to handle, and maintenance is very simple.



BLACK M

SKU: 6500

Categories: [Building Pumps](#), [Electric airless diaphragm pumps](#)

Dati Tecnici:

Power: 2 CV (1.5 kW)

Flow rate with MAX nozzle: 4.5 l/m

MAX pressure: 220 bar

MAX tube elevation: 80 m

Voltage: 230V/50Hz

MAX flow rate: 6.5 l/m

MAX nozzle size: 0.027

MAX tube length: 80 m

Weight: 50 kg

|

DESCRIZIONE DEL PRODOTTO

FEATURES

BLACK M is an airless electric diaphragm pump designed for the medium industries and craftsmen. It is the ideal solution for medium works in building, for spraying lacquers, paints, for furnitures polishing, in carpentry and handicraft.

The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits. The head block are in aluminium with hard nickel treatment, the valves in tungsten carbide. di lunghezza, di continuo.

The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits.

STANDARD SET UP



suction system kit, emulsions, S.S. (ref. **063152**)

APPLICATIONS

Acrylic, anti-rust, bitumen, emulsions, topcoats, primers, water based paints, woodstains, varnishes, enamels, paints, etc..

APPLICATION'S FIELD

Indoor and Outdoor Spraying • Renovations • Construction • Industrial • Painting roofs etc..

BLACK SERIES

BLACK series are new and improved airless electric diaphragm pumps, small-medium-high power, designed for spraying all products used in building, mechanics, woodworkings, carpentry, etc. These are very strong and handy pumps with a very easy maintenance. Sono apparecchiature molto forti e maneggevoli, la manutenzione è molto semplice.



BLACK L

SKU: 10600

Categories: [Building Pumps](#), [Electric airless diaphragm pumps](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

Flow rate with MAX nozzle: 7 L/m

MAX pressure: 220 bar

Pipe elevation MAX: 70 m

Voltage: 230V/50Hz

MAX flow rate: 9.5 L/m

MAX nozzle size: 0.043

Hose length MAX: 70 m

Weight: 59 kg

|

DESCRIZIONE DEL PRODOTTO

FEATURES

This airless electric diaphragm pump offers to the operator the best spray performance. Thanks to its efficiency, it is possible to spray high thickness product without losing pressure. It is the ideal pump for contractors for very important jobs: spraying buildings, silos, containers, etc.

The electric motor is H class, that means: maximum quality and safety. It can work in very bad conditions and with very high temperature. An automatic system stops the pump when exceeding the electric safety limits.

STANDARD SET UP



suction system kit, emulsions, S.S. (ref. **063152**)



pressure gauge kit (ref. **066000**)

APPLICATION'S FIELD

Indoor and Outdoor Spraying • Renovations • Construction • Industrial • Painting roofs etc..

BLACK SERIES

BLACK series are new and improved airless electric diaphragm pumps, small-medium-high power, designed for spraying all products used in building, mechanics, woodworkings, carpentry, etc. These are very strong and handy pumps with a very easy maintenance. Sono apparecchiature molto forti e maneggevoli, la manutenzione è molto semplice.



BLACK XL

SKU: 20004

Categories: [Building Pumps](#), [Two-component pumps](#), [Injection pumps](#), [Electric airless diaphragm pumps](#), [Electric airless diaphragm pumps](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

Flow rate with MAX nozzle: 11 L/m

MAX pressure: 220 bar

Pipe elevation MAX: 100 m

Voltage: 230V/50Hz

Mixing ratio: continuously variable from 0:1 (or 1:0) to 1:1

MAX flow rate: 22 L/m

MAX nozzle size: 0.053

Hose length MAX: 100 m

Weight: 72 kg

|

DESCRIZIONE DEL PRODOTTO

FEATURES

BLACK XL is the ideal pump for big contractors who have to do very important and high productivity works. This renewed self-contained double diaphragm pump supplies an excellent performance using very low power (only 2,2 kW). At present BLACK XL is the most powerful airless diaphragm pump on the market. It can spray thick and thixotropic products, 2-material components, or using two or more guns simultaneously. Mixing ratio is continuously adjustable from 0:1 (or 1:0) to 1:1. Both head blocks are independently continuously adjustable. BLACK XL is ideal for big works in building, big carpentry, for waterproof jobs and in the naval field. This equipment is recommended for carrying out large jobs in the construction industry, large carpentry, waterproofing and shipbuilding.

STANDARD SET UP



suction system kit, emulsions, S.S. (ref. **063152**)



pressure gauge kit (ref. **066000**)



MTV 300

SKU: 17580

Categories: [Building Pumps](#), [Plastering](#)

Dati Tecnici:

Power: 1.5 kW

MAX pressure: 30 bar

MAX pipe elevation: 15 m

Voltage: 230V/50Hz

Portata MAX: 20 L/m

MAX hose length: 30 m

Weight: 85 kg

|

DESCRIZIONE DEL PRODOTTO

MTV 300 is a screw pump with a singlephase electric motor and direct pulley belt transmission with reducer. Speed is adjusted electronically. In the industrial building field, MTV 300 is a pump with innovatory features which allows to spray prepared cements and whitenings, plastic coatings up to 3 mm. grain size.

MTV 300 is the ideal pump for spraying coatings on buildings, walls, etc, with very low costs and high working speed without effort.

MTV 300 has been designed to fill joints between visible stones, porphyry and general facework and consolidation injections. The speed is electronically regulated. MTV 300 is designed for stonemasonry of face stones and boulders, porphyry and cladding in general, or consolidation injections.

By equipping the machine with a compressor, it is possible to spray both traditional and premixed plasters and also finishing plasters (mist or peel effect).

Very small in size, it allows a single operator very easy movements.

MTV 300 mounts an electrical panel with an inverter, thus allowing the flow rate of material on the gun to be adjusted.

Totally detachable, it allows effective cleaning of all its components.

PERFORMANCES:

1. light and easy to move
2. hopper capacity: 40 L.
3. hopper in galvanized steel
4. rotor fast reverse motion
5. built in accordance with latest EU rules
6. flat and round spray tips
7. speed electronic control unit
8. product thrust reversal control

* Indicative pumping distance, depending on the quality and composition of the material, diameter and length of pipes.



MTV 400

SKU: 17590

Categories: [Plastering](#), [Building Pumps](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

MAX pressure: 30 bar

MAX pipe elevation: 30 m

Voltage: 230V/50Hz

Portata MAX: 20 L/m

Hose length MAX: 60 m

Weight: 100 kg

|

DESCRIZIONE DEL PRODOTTO

MTV 400 is the ideal machine for spreading thermal insulation glue.

W.I.T. company, being aware of the demands from a market increasingly requiring the use of special materials for heat insulation, has created this pump capable of automatically spreading thermal insulation glue on panels.

This is to speed up work and make it easier for the operator.

With its compact size and minimised dimensions, it can be easily handled in small spaces and allows the operator to move around comfortably, while ensuring great efficiency.

Entirely galvanised for better protection against the weather, it features an electric panel with an inverter to guarantee the widest range in flow rate as well as maximised performance.

By a compressor's help, it's possible to prepare pre-mixed.

70 l tank capacity.

PERFORMANCES:

1. light and easy to move
2. hopper capacity: 70 l.
3. hopper in galvanized steel
4. rotor fast reverse motion
5. built in accordance with latest EU rules
6. flat and round spray tips
7. speed electronic control unit
8. product thrust reversal control

* Indicative pumping distance, depending on the quality and composition of the material, diameter and length of pipes.



MTV 500

SKU: 17700

Categories: [Building Pumps](#), [Plastering](#)

Dati Tecnici:

Power: 3 hp (2.2 kW)

MAX pressure: 120 bar

Voltage: 230V/50Hz

MAX flow rate: 6.5 l/m

MAX nozzle size: 0.72

|

DESCRIZIONE DEL PRODOTTO

REVOLUTIONARY AIRLESS SCREW PUMP.

The MTV 500 Injection and Plaster pump has been purposely designed for filling of joints between visible stones, for porphyry and general facade, and for consolidation injections.

Being extremely compact, it can be comfortably handled by one single operator.



As for the other machines produced by W.I.T., MTV 500 pump features an electric panel with an inverter, which allows adjustment of the flow rate of the material delivered through the gun. Le piccole dimensioni e la maneggevolezza consentono all'operatore di muoversi in piccoli spazi.

It can be totally disassembled, therefore all its component can be efficiently cleaned.

70 l tank capacity.

SIZE

Loading height	750 mm
Overall height	750 mm
Width	500 mm
Length	1100 mm

Weight

120 Kg


TECHNICAL DETAILS




076800E – airless gun XXL-E electric switch



06600g – pressure gauge 40 bar kit



066252 – bag-wring MTV 500



tank detail



MTV

SKU: 28267ab848bc

Categories: [Building Pumps](#), [Plastering](#),
[Outdated pumps](#)

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.taiver.nt-rt.ru | | tew@nt-rt.ru